


# 30R

## PAR30 RECESSED MULTIPLE

MANUFACTURED IN THE UNITED STATES - IBEW



PRODUCT LISTED  
BY A NATIONALLY  
RECOGNIZED  
TESTING  
LABORATORY



### FEATURES

- Available in 1 to 5-light - linear, square and corner configurations
- Accepts short neck PAR30 lamps and LEDs
- Blends into the ceiling and can be installed with or without trim
- Each lamp is individually mounted for pan and tilt.
- Lamp holders accept a variety of lenses and accessories
- Easy front re-lamping
- Thermal protector
- Adjustable trim with torsion springs for ceilings up to 2" thick
- Adjustable butterfly mounting brackets included
- Fully enclosed wiring compartment
- Black, white and silver trims available - custom colors upon request
- 120-volt

MODEL	LENGTH	WIDTH	HEIGHT	CEILING CUT-OUT	
	(A)	(B)	(C)	(D)	(E)
30R-1	14 3/8"	8 3/4"	9 1/4"	7 1/16"	8"
30R-2	20 1/4"	8 3/4"	9 1/4"	7 1/16"	13 7/8"
30R-3	26 1/8"	8 3/4"	9 1/4"	7 1/16"	19 7/8"
30R-4	32 1/8"	8 3/4"	9 1/4"	7 1/16"	25 3/4"
30R-4S	19 1/4"	16 1/2"	7 3/8"	12 7/8"	13 3/4"
30R-3L	19 1/8"	19 1/8"	7 7/8"	6 1/4" x 13 3/8"	13 3/8" x 6 1/4"
30R-5L	25 1/8"	25 1/8"	7 7/8"	6 1/4" x 19 3/8"	19 3/8" x 6 1/4"

### ACCESSORIES



GF40	Colored Glass
GF40-601	Beam Softener
GF40-600	5°x50° Linear
GF40-673	50°x50° Spread
GF40-702	UV Blocking
HD40	Snoot
XH40	Cross Baffle

# 30R


## PAR30 RECESSED MULTIPLE

MANUFACTURED IN THE UNITED STATES - IBEW

PRODUCT LISTED  
BY A NATIONALLY  
RECOGNIZED  
TESTING  
LABORATORY




1-Linear 30R-1



2-Linear 30R-2



3-Corner 30R-3L



4-Square 30R-4S



4-Linear 30R-4



5-Corner 30R-5L



# 30R

## PAR30 RECESSED MULTIPLE

MANUFACTURED IN THE UNITED STATES - IBEW



PRODUCT LISTED  
BY A NATIONALLY  
RECOGNIZED  
TESTING  
LABORATORY

### SPECIFY:

MODEL	NUMBER OF LAMPS	VOLTAGE
<b>30R</b>	1 = 1-Linear 2 = 2-Linear 3 = 3-Linear 4 = 4-Linear 4S = 4-Square 3L = 3-Corner 5L = 5-Corner	120 = 120V
INSIDE FINISH	TRIM FINISH	
B = Black W = White S = Silver CC = Custom Color	B = Black W = White S = Silver CC = Custom Color	

**Maximum Ambient Temperature: 35° C**

### ORDERING INFORMATION

PROJECT:					
LOCATION:					
QUANTITY:					
CONTACT:					
PHONE:					
EMAIL:					

**EXAMPLE:** 30R-3-B-W-120

MODEL	NUMBER OF LAMPS	VOLTAGE	INSIDE FINISH	TRIM FINISH
30R				